

PRODUCT NOTE

High dynamic performance (HDP) motors

Optimized solutions for machinery OEMs



ABB IEC LV Motors is introducing a new updated series of High dynamic performance motors.

Featuring a complete range, a modular design and a wide range of options, the motors will meet all the market needs and requirements.

01 High dynamic performance (HDP) motor in frame size 315, with forced ventilation.

Optimized electrical and mechanical designs

High Dynamic Performance series have been designed for rough operating conditions and to operate only with a frequency converter.

The square frame design and the high overload capacity gives the motor an excellent dynamic responce due to low moment of inertia and high pulse torque.

Motors can be customized with a wide variation of options, such as encoders, brakes and monitoring sensors.

Key features and benefits

- · High power density
- Fully compliant with standards and regulations globally: UL and EAC certifications
- · Modular structure for flexibility
- Optimized solutions to fulfill OEM customers expectations
- Compact and robust design for harsh environments
- Customer collaboration for optimal design and solution including motors, drives, spare parts and service offerings
- Global presence to secure fast and easy service

02 Key features for ABB HDP motors.



Motor series

- IP23 (Type M3ET)
- IP55 (Type M3FT)
- IP55, water-cooled (Type M3LT)



Frame diameter from 80 to 400



Power range

Full range from 2 kW up to 2000 kW



Cooling options

- · Forced ventilation
- Open circuit ventilation
- · Water-cooling

HDP motors portfolio

	4																		•
Motor series	56	63	71	80	90	100	112	132	160	180	200	225	250	280	315	355	400	450	500
IP55																		:	
IP23																			
IP55, watercooled																		•	:

02,03 and 04
High dynamic performance (HDP) motors
are ideal for high torque
applications, such as
extruders and cranes.





